

# Double Door Chest Freezers



## SGF850DD

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 708                         |
| Gross Capacity (Ltr)           | 850                         |
| Lining / Basket                | Silver /3                   |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R290a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 865x1905x820 / 890x1956x858 |
| Weight (Net /Gross Kg)         | 72 / 82                     |
| Stuffing (40'HC Units)         | 39                          |



## SGF750DD

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 508                         |
| Gross Capacity (Ltr)           | 750                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R290a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 865x1640x700 / 890x1680x748 |
| Weight (Net /Gross Kg)         | 75/85                       |
| Stuffing (40'HC Units)         | 63                          |

Product Specifications are country specific & subject to change without prior notice.

# Single Door Chest Freezers



## SGF644H

### Specifications


|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 460                         |
| Gross Capacity (Ltr)           | 700                         |
| Cooling Type                   | No Frost                    |
| Lock & Key                     | Yes                         |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V~50HZ               |
| Dimension (Prod/Pack HxWxD mm) | 840x1660x674 / 870x1680x735 |
| Weight (Net /Gross Kg)         | 65/78                       |
| Stuffing (40'HC Units)         | 63 units                    |



## SGF544H

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 420                         |
| Gross Capacity                 | 550                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key/ Castor      | Yes / Yes / Yes             |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 827x1470x714 - 870x1487x727 |
| Weight (Net /Gross Kg)         | 63/70                       |
| Stuffing (40'HC Units)         | 72                          |



## SGF544MN2

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 418                         |
| Gross Capacity                 | 550                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key/ Castor      | Yes / Yes / Yes             |
| Refrigerant Type               | R290                        |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 825x1416x750 / 874x1449x778 |
| Weight (Net /Gross Kg)         | 59/66                       |
| Stuffing (40'HC Units)         | 70                          |

# Single Door Chest Freezers



## SGF444H

| Specifications                 |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 350                         |
| Gross Capacity (Ltr)           | 450                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 827x1300x714 / 870x1317x727 |
| Weight (Net /Gross Kg)         | 58 / 63                     |
| Stuffing (40'HC Units)         | 75                          |



## SGF444HM

| Specifications                 |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 380                         |
| Gross Capacity (Ltr)           | 425                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 845x1300x700 / 885x1336x748 |
| Weight (Net /Gross Kg)         | 50/53                       |
| Stuffing (40'HC Units)         | 75                          |



## SGF344H

| Specifications                 |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 300                         |
| Gross Capacity (Ltr)           | 350                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 835x1120x688 / 880x1137x735 |
| Weight (Net /Gross Kg)         | 48 / 52                     |
| Stuffing (40'HC Units)         | 95                          |



### SGF344HM

#### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 316                         |
| Gross Capacity (Ltr)           | 350                         |
| Lining / Basket                | Aluminum / 1                |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes             |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm) | 845x1120x700 / 885x1156x748 |
| Weight (Net /Gross Kg)         | 44/50                       |
| Stuffing (40'HC Units)         | 92                          |



### SGF322MN1

#### Specifications

|                                |                          |
|--------------------------------|--------------------------|
| ESMA Capacity (Ltr)            | 249                      |
| Gross Capacity (Ltr)           | 300                      |
| Lining / Basket                | Aluminum / 1             |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes          |
| Refrigerant Type               | R600a                    |
| Voltage (V, Hz)                | 220-240V, 50Hz           |
| Dimension (Prod/Pack HxWxD mm) | 850x980x600/885x1025x625 |
| Weight (Net /Gross Kg)         | 38/40                    |
| Stuffing (40'HC Units)         | 122                      |



### SGF244H

#### Specifications

|                                |                            |
|--------------------------------|----------------------------|
| ESMA Capacity (Ltr)            | 200                        |
| Gross Capacity (Ltr)           | 250                        |
| Lining / Basket                | Aluminum / 1               |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes            |
| Refrigerant Type               | R600a                      |
| Voltage (V, Hz)                | 220-240V, 50Hz             |
| Dimension (Prod/Pack HxWxD mm) | 835x996x565 / 880x1012x580 |
| Weight (Net /Gross Kg)         | 39 / 43                    |
| Stuffing (40'HC Units)         | 138                        |

# Single Door Chest Freezers



## SGF244HM

| Specifications                 |                           |
|--------------------------------|---------------------------|
| ESMA Capacity (Ltr)            | 200                       |
| Gross Capacity (Ltr)           | 230                       |
| Lining / Basket                | Aluminum / 1              |
| Lamp / Lock & Key / Castor     | Yes / Yes / Yes           |
| Refrigerant Type               | R600a                     |
| Voltage (V, Hz)                | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm) | 845x905x550 / 886x940x570 |
| Weight (Net /Gross Kg)         | 31/35                     |
| Stuffing (40'HC Units)         | 149                       |



## SGF222

| Specifications                 |                           |
|--------------------------------|---------------------------|
| ESMA Capacity (Ltr)            | 155                       |
| Gross Capacity (Ltr)           | 200                       |
| Lining / Basket                | Aluminum / 1              |
| Lamp / Lock & Key / Castor     | No / Yes / Yes            |
| Refrigerant Type               | R600a                     |
| Voltage (V, Hz)                | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm) | 835x822x565 / 880x840x580 |
| Weight (Net /Gross Kg)         | 35 / 39                   |
| Stuffing (40'HC Units)         | 168                       |



## SGF 222HM(S)

| Specifications                 |                           |
|--------------------------------|---------------------------|
| ESMA Capacity (Ltr)            | 145                       |
| Gross Capacity (Ltr)           | 200                       |
| Lining / Basket                | Aluminum / 1              |
| Lamp / Lock & Key / Castor     | No / Yes / Yes            |
| Refrigerant Type               | R600a                     |
| Voltage (V, Hz)                | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm) | 845x705x545 / 885x730x575 |
| Weight (Net /Gross Kg)         | 27/30                     |
| Stuffing (40'HC Units)         | 193                       |



## SGF155H

| Specifications                 |                           |
|--------------------------------|---------------------------|
| ESMA Capacity (Ltr)            | 100                       |
| Gross Capacity (Ltr)           | 150                       |
| Lining / Basket                | Aluminum / 1              |
| Lamp / Lock & Key / Castor     | No / Yes / Yes            |
| Refrigerant Type               | R600a                     |
| Voltage (V, Hz)                | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm) | 835x632x565 / 880x650x580 |
| Weight (Net /Gross Kg)         | 31/35                     |
| Stuffing (40'HC Units)         | 216                       |





SGF155HM

Specifications

|                                |                           |
|--------------------------------|---------------------------|
| ESMA Capacity (Ltr)            | 100                       |
| Gross Capacity (Ltr)           | 150                       |
| Lining / Basket                | Aluminum / 1              |
| Lamp / Lock & Key / Castor     | No / Yes / Yes            |
| Refrigerant Type               | R600a                     |
| Voltage (V, Hz)                | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm) | 845x545x550 / 886x570x570 |
| Weight (Net /Gross Kg)         | 25/27                     |
| Stuffing (40'HC Units)         | 248                       |

Upright Freezers



SGUF125H

Specifications

|                                     |                           |
|-------------------------------------|---------------------------|
| ESMA Capacity (Ltr)                 | 84                        |
| Gross Capacity (Ltr)                | 125                       |
| Drawers / Basket / Cooling Type     | 4 / No / Defrost          |
| Lamp / Lock & Key / Reversible Door | No / Yes / No             |
| Castor / Adjustable Legs            | No / Yes                  |
| Refrigerant Type                    | R600a                     |
| Voltage (V, Hz)                     | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm)      | 850x550x580 / 880x575x595 |
| Weight (Net /Gross Kg)              | 33/35                     |
| Stuffing (40'HC Units)              | 236                       |



SGUF307HS1

ALSO AVAILABLE: WHITE

- ▶ Defrost
- ▶ Adjustable Thermostat
- ▶ Adjustable Legs
- ▶ Tropical Compressor

Specifications

|                                 |                           |
|---------------------------------|---------------------------|
| ESMA Capacity (Ltr)             | 163                       |
| Gross Capacity (Ltr)            | 250                       |
| Drawers/Basket/Cooling Type     | 6 / No / Defrost          |
| Lamp/Lock & Key/Reversible Door | Yes / Yes / Yes           |
| Castor/Adjustable Legs          | No / Yes                  |
| Refrigerant Type                | R600a                     |
| Voltage (V, Hz)                 | 220-240V, 50Hz            |
| Dimension (Prod/Pack HxWxD mm)  | 1430x550x580/1473x575x605 |
| Weight (Net /Gross Kg)          | 45/49                     |
| Stuffing (40'HC Units)          | 142                       |

# Upright Freezers



Defrost



## SGUF348H

- ▶ Defrost
- ▶ Adjustable Thermostat
- ▶ Adjustable Legs
- ▶ Tropical Compressor

### Specifications

|                                     |                             |
|-------------------------------------|-----------------------------|
| ESMA Capacity (Ltr)                 | 225                         |
| Gross Capacity (Ltr)                | 380                         |
| Drawers / Basket / Cooling Type     | 7 / No / Defrost            |
| Lamp / Lock & Key / Reversible Door | No / Yes / No               |
| Castor / Adjustable Legs            | No / Yes                    |
| Refrigerant Type                    | R600a                       |
| Voltage (V, Hz)                     | 220-240V, 50Hz              |
| Dimension (Prod/Pack HxWxD mm)      | 1700x600x600 / 1783x650x635 |
| Weight (Net /Gross Kg)              | 59/64                       |
| Stuffing (40'HC Units)              | 74                          |



## SGUF401NFPD

- ▶ No Frost
- ▶ 7 Compartments
- ▶ LED Display
- ▶ Adjustable Legs
- ▶ LED Lamps
- ▶ Reversible Door with Easy Opening Handle

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 260                         |
| Gross Capacity (Ltr)           | 400                         |
| Color / Finish                 | Inox                        |
| Cooling Type                   | No Frost                    |
| Lock & Key                     | No                          |
| Refrigerant Type               | R600a                       |
| Voltage (V, Hz)                | 220~240V, 50HZ              |
| Dimension (Prod/Pack HxWxD mm) | 1855x595x645 / 1925x660X745 |
| Weight (Net /Gross Kg)         | 82/90                       |
| Stuffing (20'/40'/40'HC Units) | 27/54/72                    |



## SGUF441NFDCl

- ▶ No Frost
- ▶ LED Display with Electronic Touch
- ▶ Interior LED Lighting
- ▶ Fridge and Freezer is Convertible
- ▶ Inverter Compressor
- ▶ Reversible Door with Easy Opening Handle

### Specifications

|                                |                             |
|--------------------------------|-----------------------------|
| ESMA Capacity (Ltr)            | 380                         |
| Gross Capacity (Ltr)           | 450                         |
| Color / Finish                 | Inox                        |
| Cooling Type                   | No Frost                    |
| Lock & Key                     | No                          |
| Refrigerant Type               | R134a                       |
| Voltage (V, Hz)                | 220~240V, 50HZ              |
| Dimension (Prod/Pack HxWxD mm) | 1850x700x770 / 1920x750X756 |
| Weight (Net /Gross Kg)         | 68/75                       |
| Stuffing (40'HC Units)         | 66                          |

SUPER GENERAL

# Showcase Chillers

