

Front Load Washing Machines



Inverter Series Washing Machine with
AUTO HYGIENE FEATURE



EASY SPRAY



PROGRAMS



HIDDEN LED DISPLAY



AUTO CLEAN



ANTI-BACTERIA GASKET

Specifications

Gross Capacity (Kg)	
Control /Programs	
Spin Speed (RPM) / Digital Display	
Built in Heater	
Voltage (V, Hz)	
Dimension (Prod/Pack WxDxH mm)	
Weight (Net /Gross Kg)	
Stuffing (40'HC Units)	

SGW8500HD

8kg
Electronic Control / 15
1400 / LED
Yes
220-240V 50Hz
595x565x850 / 680x660x875
68/72
159

SGW10500HD

10kg
Electronic Control / 15
1500 / LED
Yes
220-240V 50Hz
595x565x850 / 680x695x875
72/76
153

SGW12500HD

12kg
Electronic Control / 15
1400 / LED
Yes
220-240V 50Hz
595x595x850 / 680x725x875
73/78
153



(SGW12400CRMS / SGW10400CRMS)

10KG SGW10400CRMS 12KG SGW12400CRMS

Specifications

ESMA Capacity (Kg)	
Gross Capacity (Kg)	
Control / Programs	
Spin Speed (RPM) / Digital Display	
Built-in-Heater	
Voltage (V, Hz)	
Dimension (Prod/Pack WxDxH mm)	
Weight (Net /Gross Kg)	
Stuffing (40'HC Units)	

10 / 12
10 / 12
Electronic Control/16
1600/1400/LED
Yes
220-240V, 50Hz
595x565x850 / 680x695x875
595x595x850 / 680x695x875
71/76 - 73/78
153/153

SGW8450CRMS 8KG

8
8
Electronic Control / 16
1400 / LED
Yes
220-240V, 50Hz
595x565x850 / 680x660x875
66/70
159

WASHER DRYER

Specifications

ESMA Capacity (Kg)	
Gross Capacity (Kg)	
Control / Programs	
Spin Speed (RPM) / Digital Display	
Built-in-Heater	
Voltage (V, Hz)	
Dimension (Prod/Pack WxDxH mm)	
Weight (Net /Gross Kg)	
Stuffing (40'HC Units)	

8KG SGW8650CRCMBS / SGW12600CRCMB 12KG

8/6 - 12/8
8/6 - 12/8
Electronic Control/16
1400/LED
Yes
220-240V, 50Hz
595x470x850 / 655x555x885 - 595x595x850 / 680x725x875
64/67 - 76/82
225/153



Key Features

- ▶ 23 Programs
- ▶ LED Display
- ▶ Extra Rinse
- ▶ Drum Clean
- ▶ Child Lock
- ▶ Quick Wash
- ▶ Delay Start
- ▶ Anti Bacterial Gasket

SGW6200NLED SGW7200NLED

Specifications

ESMA Capacity	6kg	7kg
Gross Capacity	6kg	7kg
Control / Programs	Electronic Control / 23	Electronic Control / 23
Spin Speed(RPM) / Digital Display	1000 / LED	1400 / LED
Built in Heater	Yes	Yes
Voltage	220-240V / 50Hz	220-240V / 50Hz
Dimension(Product WxDxH) mm	595X400X850	595X495X850
Dimension(Pack WxDxH) mm	655X500X885	650X575X885
Weight (Net/Gross Kg)	52/54	60/63
Stuffing (40HC Units)	251	216



SGW6100NLED / SGW6100NLEDS

Key Features

- ▶ Eco Wash
- ▶ 15 Minutes Quick Wash
- ▶ Extra Rinse
- ▶ Self Clean
- ▶ Delay Start
- ▶ Child Lock

Specifications

ESMA Capacity (Kg)	6
Gross Capacity (Kg)	6
Control / Programs	Electronic Control / 23
Spin Speed (RPM) / Digital Display	1000/LED
Built-in-Heater	Yes
Voltage (V, Hz)	220-240V / 50Hz
Dimension (Prod/Pack WxDxH mm)	595x470x850 / 650x555x885
Weight (Net /Gross Kg)	54/57
Stuffing (40'HC Units)	225



SGW7100NLED / SGW8100NLED

Key Features

- ▶ Eco Wash
- ▶ 15 Minutes Quick Wash
- ▶ Extra Rinse
- ▶ Self Clean
- ▶ Delay Start
- ▶ Child Lock

Specifications

ESMA Capacity (Kg)	7 / 8
Gross Capacity (Kg)	7 / 8
Control / Programs	Electronic Control / 23
Spin Speed (RPM) / Digital Display	1200/1300/LED
Built-in-Heater	Yes
Voltage (V, Hz)	220-240V / 50Hz
Dimension (Prod/Pack WxDxH mm)	595x495x850 - 650x575x885 595x565x850 / 680x600x875
Weight (Net /Gross Kg)	61/65 - 68/72
Stuffing (40'HC Units)	216/159

Front Load Washing Machines



SGW7300EDM / SGW6300EDM

Key Features

- ▶ Pre-Wash Function
- ▶ Child Lock
- ▶ LED Display
- ▶ Delay Start

Specifications

ESMA Capacity (Kg)	7 / 6
Gross Capacity (Kg)	7 / 6
Control / Programs	Electronic Control / 15
Spin Speed (RPM) / Digital Display	1000 / LED
Built-in-Heater	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack WxDxH mm)	597x527x845 / 641x577x881 597x497x845 / 641x547x881
Weight (Net /Gross Kg)	63/64.5 - 55.5 / 57
Stuffing (40'HC Units)	216 / 224

Condenser Dryers



Key Features


- ▶ Sensor Drying System
- ▶ Two Way Tumbling
- ▶ Electronic Control system
- ▶ Anti-Crease function
- ▶ Ergonomic design water tank for easy handling.
- ▶ Failure Detection System
- ▶ Drying cycle indicator
- ▶ Condenser cleaning indicator
- ▶ Delay Timer function
- ▶ Child Lock

SGWD9700EDMW

ALSO AVAILABLE: SGWD8700EDMW

Specifications

ESMA Capacity (Ltr)	9
Gross Capacity (Ltr)	9
Control / Programs	Electronic Control / 15
Digital Display	No
Built-in-Heater	Yes
Voltage (V, Hz)	220-240V / 50 Hz
Dimension (Prod WxDxH mm)	845x596x609
Dimension (Pack WxDxH mm)	881x641x638
Weight (Net /Gross Kg)	38.5
Stuffing (40'HC Units)	162



KEY FEATURES

- 5 programs
- 4 temperatures
- Super Active drying system
- Rinse aid & salt indicators
- Washing cycle indicators
- Child lock option
- Overflow and leakage protection
- Heater protection
- Half load option (with one mode)
- Pre-wash
- Lower basket/upper basket
- Digital display
- Delay timer

SGDW1604

Specifications

Color	White
Capacity (Place Setting)	12
Control	Electronic Control
Programs	5
Digital Display	LED
Filter	Metal
Base	Stainless Steel base
Voltage (V,HZ)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	598x598x850 / 644x661x881
Weight (Net / Gross Kg)	49/56
Stuffing (40HC)	162



KEY FEATURES

- 8 Programs
- Silver body with Black Panel
- With 3 baskets
- Turbo Drying, Metal Filter
- 4 Foldable rack, handle lower basket
- Adjustable handle, adjustable mug shelf upper basket
- Rinse aid and salt indicators
- Washing cycle indicators
- Child lock option
- Overflow and leakage protection
- Heater protection
- Half load option in 3 modes
- Pre wash, Digital Display, Delay timer 1-24hr
- 3 in 1 tablet detergent option
- Extra hygiene/drying option

SGDW1606

Specifications

Color	Silver
Capacity (Place Setting)	15
Control	Electronic Control
Programs	8
Digital Display	LED
Filter	Metal
Base	Stainless Steel base
Voltage (V,HZ)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	598x598x850 / 644x661x881
Weight (Net / Gross Kg)	49/56
Stuffing (40HC)	162



KEY FEATURES

- 7 Programs
- 2 special functions:
 - Extra drying & half load
- 6 cleaning temperatures
- 24 hours delay start
- 2 basket with 2 Spray Levels
- 1 portable cutlery basket
- LED salt & rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Child lock

SGDW1601SS

Specifications

Color	Silver
Capacity (Place Setting)	14
Control	Electronic Control
Programs	7
Digital Display	LED
Filter	Plastic filter system
Base	Metal
Voltage (V,HZ)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	598x600x845 / 645x645x890
Weight (Net / Gross Kg)	48/53.5
Stuffing (40HC)	162

Top Load Washing Machines



SGW752S

ALSO AVAILABLE: WHITE (SGW752)

Key Features

- ▶ 8 programs
- ▶ One Touch Wash
- ▶ Soft Close Glass Lid
- ▶ Drum Clean function
- ▶ Auto balance system
- ▶ Child Lock

Specifications

ESMA Capacity (Kg)	7.5
Gross Capacity (Kg)	8
Type / Body	Stainless Steel / Metal
Programs	8
Digital Display	LED
Water Inlets	2
Voltage (V, Hz)	220-230V/50HZ
Dimension (Prod/Pack WxDxH mm)	550x565x920 / 618x628x990
Weight (Net /Gross Kg)	39/43
Stuffing (40'HC Units)	152



SGW920NS

Key Features

- ▶ One Key Wash
- ▶ Dual balancer
- ▶ Extra Rinse
- ▶ LED Display
- ▶ Magic Cleaning Filter
- ▶ Spin Ary Dry
- ▶ Tub Clean function
- ▶ Delay Start
- ▶ Power Off Memory
- ▶ Transparent Lid
- ▶ Auto Balance
- ▶ Child Lock

SGW1521NS

Specifications

ESMA Capacity (Kg)	14.5
Gross Capacity (Kg)	16
Type / Body	Stainless Steel/ Metal
Programs	8
Digital Display	LED
Water Inlets	Two water inlet
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack WxDxH mm)	686x730x1023 / 761x729x1078
Weight (Net /Gross Kg)	54/59
Stuffing (40'HC Units)	96

SGW920NS / SGW1120NS

Specifications

ESMA Capacity (Kg)	9 / 10.5
Gross Capacity (Kg)	10 / 12
Type / Body	Stainless Steel/ Metal
Programs	8
Digital Display	LED
Water Inlets	Two Water Inlet
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack WxDxH mm)	580x596x968 / 616x630x1025 601x630x1000 / 660x685x1065
Weight (Net /Gross Kg)	42/47 - 46/53
Stuffing (40'HC Units)	148 - 108



SGW622

Key Features

- ▶ 8 programs
- ▶ One Touch Wash
- ▶ Soft Close Lid
- ▶ Drum Clean function
- ▶ Auto balance system
- ▶ Child Lock

Specifications

ESMA Capacity (Kg)	6
Gross Capacity (Kg)	6
Type / Body	Stainless Steel / Metal
Programs	8
Digital Display	LED
Voltage (V, Hz)	220-230V / 50Hz
Dimension (Prod WxDxH Mm)	515x525x910 / 575x585x970
Weight (Net /Gross Kg)	31/35
Stuffing (40'HC Units)	80/160/208



SGW621 / SGW721

Key Features

- ▶ Extra Rinse
- ▶ Spin Air Dry
- ▶ Child Lock
- ▶ LED Display
- ▶ Delay Start
- ▶ Transparent Lid
- ▶ Auto Balance
- ▶ Magic Cleaning Filter
- ▶ Tub Clean
- ▶ Power Off Memory

Specifications

ESMA Capacity (Kg)	6 / 7
Gross Capacity (Kg)	6 / 7
Type / Body	Stainless Steel / Metal
Control / Programs	8
Digital Display	LED
Voltage (V, Hz)	220-240 V/50HZ
Dimension (Prod WxDxH Mm)	562x572x990 / 625x635x1020
Weight (Net /Gross Kg)	31/35 - 36/40
Stuffing (40'HC Units)	208/ 147



- ▶ One touch wash
- ▶ 16 programs
- ▶ High back control panel for better view
- ▶ Large transparent lid
- ▶ 4 in 1 detergent box
- ▶ Air dry function
- ▶ Child lock

SGW1450W / SGW1450S

Specifications

ESMA Capacity (Kg)	13
Gross Capacity (Kg)	15
Type / Body	Stainless Steel / Metal
Programs	16
Digital Display	LED
Water Inlets	2
Voltage (V, Hz)	220-230V/50Hz
Dimension (Prod/Pack WxDxH mm)	640x684x1085/703x733x1165
Weight (Net /Gross Kg)	53/58
Stuffing (40'HC Units)	96

Twin Tub Washing Machines



- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Rust Proof body

Specifications

	SGW50	SGW60
ESMA Capacity (Wash/Spin Kg)	5 / 3.6	6 / 3.6
Gross Capacity (Wash/Spin Kg)	5 / 3.6	6 / 3.6
Type / Body	Twin Tub/Plastic	Twin Tub/Plastic
Agitator / Pulsator	S Shape pulsator	S Shape pulsator
Water Inlets	1	1
Voltage (V, Hz)	230-240V, 50Hz	230V, 50Hz
Dimension (Prod/Pack WxDxH mm)	709X402X845 / 730X425X880	735X430X845 / 760X453X885
Weight (Net /Gross Kg)	17.5/20.5	18/20.5
Stuffing (40'HC Units)	260	230

Specifications

	SGW70	SGW80	SGW100
ESMA Capacity (Wash/Spin Kg)	6.5 / 4.6	8 / 4.6	10 / 4.6
Gross Capacity (Wash/Spin Kg)	7 / 4.6	8 / 4.6	10 / 4.6
Type / Body	Twin Tub/Plastic	Twin Tub/Plastic	Twin Tub/Plastic
Agitator / Pulsator	S Shape pulsator	S Shape pulsator	S Shape pulsator
Water Inlets	1	1	1
Voltage (V, Hz)	230V, 50Hz	230V, 50Hz	230V, 50Hz
Dimension (Prod/Pack WxDxH mm)	761X448X885 / 778X475X920	827X485X862 / 840X505X894	870X512X957 / 886X546X992
Weight (Net /Gross Kg)	19.5/23.5	21/24.5	23/26
Stuffing (40'HC Units)	210	170	130



SGW610X

- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Rust Proof Body

Specifications

ESMA Capacity (Wash/ Spin Kg)	6 / 4
Gross Capacity (Wash/ Spin Kg)	6 / 4
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	745x420x900/ 760x460x940
Weight (Net /Gross Kg)	19/24
Stuffing (40'HC Units)	220



- ▶ High Back Control Panel
- ▶ Lid For Hand Wash

- ▶ Rust Proof Plastic Body
- ▶ Lint Filter

SGW75 / SGW85

Specifications

ESMA Capacity (Kg)	7/8
Gross Capacity (Wash/Spin Kg)	7/5 - 8/5
Type / Body	Twin tub / Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	230, 50Hz
Dimension (Prod/Pack WxDxH mm)	761x448x905 / 778x475x935
	827x485x925 / 840x505x955
Weight (Net /Gross Kg)	19.5/22.5 - 19.5/22.5
Stuffing (20'/40'/40'HC Units)	194 - 144

SGW105

Specifications

ESMA Capacity (Kg)	10/7
Gross Capacity (Wash/Spin Kg)	10/7
Type / Body	Twin tub / Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	230, 50Hz
Dimension (Prod/Pack WxDxH mm)	870x512x1005 / 886x546x1060
Weight (Net /Gross Kg)	25/29
Stuffing (40'HC Units)	132

SGW125

12/7
12/7
Twin tub / Plastic
Pulsator
1
230, 50Hz
902X537X998/ 950X580X1035
30/34
120

SGW155

14/9
15/9
Twin tub / Plastic
Pulsator
1
230, 50Hz
995X555X1155/ 1020X580X1200
38.5/44.5
92



SGW910C

- ▶ Spin Air Dry
- ▶ Lint Filter
- ▶ Large Wash Tub / Dry Tub
- ▶ Rust Proof Body

Specifications

ESMA Capacity (Wash/ Spin Kg)	9 / 5.6
Gross Capacity (Wash/ Spin Kg)	9 / 5.6
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	240V, 50Hz
Dimension Prod/ Pack WxDxH mm	796x470x985 / 820x495x981
Weight (Net /Gross Kg)	21/24
Stuffing (40'HC Units)	175

Twin Tub Washing Machines



- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Rust Proof Body

SGW77N

Specifications

ESMA Capacity (Wash / Spin Kg)	7 / 5.6
Gross Capacity (Wash / Spin Kg)	7 / 5.6
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	756x430x906 / 785x460x940
Weight (Net /Gross Kg)	19/22
Stuffing (40'HC Units)	210



- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Rust Proof Body

SGW87N

Specifications

ESMA Capacity (Wash / Spin Kg)	8 / 5.6
Gross Capacity (Wash / Spin Kg)	8 / 5.6
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	796x470x985 / 820x495x981
Weight (Net /Gross Kg)	21/24
Stuffing (40'HC Units)	175



- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Large Wash Tub / Dry Tub
- ▶ Rust Proof Body

SGW1056N

Specifications

ESMA Capacity (Wash/ Spin Kg)	10 / 6.5
Gross Capacity (Wash/ Spin Kg)	10 / 6.5
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm)	838x490x960 / 890x525x1010
Weight (Net /Gross Kg)	23/26
Stuffing (40'HC Units)	144



- ▶ Rust Proof plastic body
- ▶ Transparent Lid
- ▶ Lint Filter
- ▶ Air Dry function

SGW1556

Specifications

ESMA Capacity(Wash/Spin Kg)	14/7.5kg
Type / Body	Plastic
Agitator/Pulsator:	Pulsator
Water Inlets	1
Voltage(V, Hz)	240V 50Hz
Dimension (Product)	957x549x1045
Dimension (Pack)	990x580x1040
Weight(Net/Gross Kg)	32/36
Stuffing(40'HC Units)	120



SGW150N

- ▶ Spin Air Dry
- ▶ Lint Filter
- ▶ Rust Proof Body
- ▶ Large Wash Tub / Dry Tub
- ▶ Energy Saving and Water Saving

Specifications

ESMA Capacity (Wash/ Spin Kg)	14
Gross Capacity (Wash/ Spin Kg)	15
Type / Body	Twin Tub / Plastic
Agitator / Pulsator	S Shape Pulsator
Filter	Magic Filter
Water Inlets	2
Voltage (V, Hz)	230V, 50Hz
Dimension Prod/ Pack WxDxH mm	995x555x1155 / 1020x580x1200
Weight (Net /Gross Kg)	37.5/43.5
Stuffing (40'HC Units)	92



SGW1212

- ▶ Spin Dry
- ▶ Lint Filter
- ▶ Rust Proof Body
- ▶ Large Wash Tub / Dry Tub

Specifications

ESMA Capacity (Wash/ Spin Kg)	12 / 7.5
Gross Capacity (Wash/ Spin Kg)	12 / 7.5
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	890x535x1040 / 920x570x1025
Weight (Net /Gross Kg)	29/33
Stuffing (40'HC Units)	128



SGW1250

- ▶ Spin Air Dry
- ▶ Lint Filter
- ▶ Rust Proof Body
- ▶ Large Wash Tub / Dry Tub
- ▶ Energy Saving and Water Saving

Specifications

ESMA Capacity (Wash/ Spin Kg)	12 / 7
Gross Capacity (Wash/ Spin Kg)	12 / 7
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	S Shape Pulsator
Filter	Magic Filter
Water Inlets	2
Voltage (V, Hz)	230V, 50Hz
Dimension Prod/ Pack WxDxH mm	902x537x1064 / 950x580x1130
Weight (Net /Gross Kg)	30/34.5
Stuffing (40'HC Units)	96

Twin Tub Washing Machines



- ▶ Spin Air Dry
- ▶ Lint Filter
- ▶ Rust Proof Body
- ▶ Large Wash Tub / Dry Tub
- ▶ Energy Saving and Water Saving
- ▶ Transparent Lid

SGW1800

Specifications

ESMA Capacity (Wash/ Spin Kg)	18 / 14
Gross Capacity (Wash/ Spin Kg)	18 / 14
Type / Body	Twin Tub/Plastic
Agitator / Pulsator	Pulsator
Filter	Magic Filter
Water Inlets	1
Voltage (V, Hz)	220-240V, 50Hz
Dimension Prod/ Pack WxDxH mm	1025x605x1165 / 1056x639x1215
Weight (Net /Gross Kg)	38/45
Stuffing (40'HC Units)	80



- ▶ Rust Proof body
- ▶ Transparent Lid
- ▶ Lint Filter
- ▶ Large Wash Tub / Dry Tub

SGW2056

Specifications

ESMA Capacity (Kg)	20/12
Gross Capacity (Kg)	20/12
Type / Body / Color	Twin tub / Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220-240 V, 50 Hz
Dimension (Prod/Pack WxDxH mm)	1015x 600x1120 / 1050x 633x1145
Weight (Net /Gross Kg)	34/40
Stuffing (40'HC Units)	80



- ▶ Rust Proof Body
- ▶ Transparent Lid
- ▶ Lint Filter

SGW801P / SGW901P

Specifications

ESMA Capacity (Kg)	8/9
Gross Capacity (Wash/Spin Kg)	8/4 - 9/4.5
Type / Body	Twin tub / Plastic
Agitator / Pulsator	Pulsator
Water Inlets	1
Voltage (V, Hz)	220, 50Hz
Dimension (Prod/Pack WxDxH mm)	759X478X959 / 820X503X1029 831X540X987 / 880X579X990
Weight (Net /Gross Kg)	19.5/22.5 - 19.5/22.5
Stuffing (40'HC Units)	160 / 132



- ▶ Rust Proof Plastic body
- ▶ Transparent Lid

SGW220LM

Specifications

Gross Capacity (Wash/Spin Kg)	1/-
Type / Body	Plastic
Agitator / Pulsator	Pulsator
Water Inlets	Single
Voltage (V, Hz)	230V 50Hz
Dimension (Prod/Pack WxDxH mm)	375x335x487/400x370x550
Weight (Net /Gross Kg)	5/6
Stuffing (20'/40'/40'HC Units)	344/720/865

Cooking Range

