

Single Door Chiller



SGSC137 / SGSC138

Specifications

ESMA Capacity (Ltr)	133
Gross Capacity (Ltr)	150
Door	Single Layered Glass
Shelves / Lock & Key	3 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	850x550x580 / 880x575x600
Weight (Net /Gross Kg)	32/35
Stuffing (40'HQ Units)	234



SGSC256

Specifications

ESMA Capacity (Ltr)	248
Gross Capacity (Ltr)	275
Door	Single layered glass
Shelves / Lock & Key	5 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1440x550x580 / 1480x575x600
Weight (Net /Gross Kg)	50/55
Stuffing (40'HQ Units)	140



SGSC298

Specifications

ESMA Capacity (Ltr)	243
Gross Capacity (Ltr)	295
Door	Double Layered Glass
Shelves / Lock & Key	3 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1675x580x535 / 1755x625x580
Weight (Net /Gross Kg)	58/64
Stuffing (40'HQ Units)	102



SGSC398

Specifications

ESMA Capacity (Ltr)	338
Gross Capacity (Ltr)	395
Door	Single
Shelves / Lock & Key	4 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1972x600x580 / 2040x655x625
Weight (Net /Gross Kg)	76/83
Stuffing (40'HQ Units)	75



SGSC396

Specifications

ESMA Capacity (Ltr)	288
Gross Capacity (Ltr)	395
Door	Double Layered Glass
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1824x578x605 / 1870x624x630
Weight (Net /Gross Kg)	69.8 / 73
Stuffing (40'HQ Units)	75



SGSC455N1

Specifications

ESMA Capacity (Ltr)	340
Gross Capacity (Ltr)	450
Door	Double Layers Floating Glass
Shelves / Lock & Key	4 Coated Wires / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2055x645x618 / 2105x707x685
Weight (Net /Gross Kg)	69 / 78
Stuffing (40'HQ Units)	51

Single Door Chiller



SGSC618U

Specifications

ESMA Capacity (Ltr)	486
Gross Capacity (Ltr)	650
Door	Double Layered Glass With French Door
Shelves	4 Shelves
Refrigerant Type	R134a
Voltage (V, Hz)	220V , 50-60Hz
Dimension (Prod/Pack HxWxD mm)	1920x650x670 / 1985x670x715
Weight (Net /Gross Kg)	81 / 91.75
Stuffing (40'HQ Units)	28 / 59 / 66



SGC718NG

Specifications

ESMA Capacity (Ltr)	525
Gross Capacity (Ltr)	600
Shelves / Lock & Key	5 / Yes
Refrigerant Type	R290
Voltage (V, Hz)	220V, 50-60Hz
Dimension (Prod/Pack HxWxD mm)	1990x710x690/ 2115x774x754
Weight (Net /Gross Kg)	104/124
Stuffing (40'HQ Units)	21/45/45



SGSC818IF

Specifications

ESMA Capacity (Ltr)	600
Gross Capacity (Ltr)	800
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1980x940x615 / 2060x990x665
Weight (Net /Gross Kg)	130/138
Stuffing (40'HQ Units)	36

French Door Chiller



Thailand
Compressor



SGSC819IF

Specifications

ESMA Capacity (Ltr)	600
Gross Capacity (Ltr)	800
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1983x940x635 / 2060x990x685
Weight (Net /Gross Kg)	130/138
Stuffing (40'HQ Units)	36



SGSC 1015UIF

Specifications

ESMA/ Net Capacity (Ltr)	738
Gross Capacity (Ltr)	1000
Door type (French / sliding)	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves
Refrigerant Type	R134a
Voltage (V, Hz)	220V , 50-60Hz
Dimension (Prod/Pack HxWxD mm)	1920x1120x575 / 2010x1140x620
Weight (Net Kg)	115
Weight (Gross Kg)	128
Stuffing (40'HQ Units)	45



Thailand
Compressor



SGSC1016IS

Specifications

ESMA Capacity (Ltr)	800
Gross Capacity (Ltr)	1000
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x700 / 2100x1050x750
Weight (Net /Gross Kg)	142/152
Stuffing (40'HQ Units)	33

French Door Chiller



SGSC1017IS

Specifications

ESMA Capacity (Ltr)	800
Gross Capacity (Ltr)	1000
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x700 / 2100x1050x750
Weight (Net /Gross Kg)	142/152
Stuffing (40'HQ Units)	33



SGSC1019IF

Specifications

ESMA Capacity (Ltr)	800
Gross Capacity (Ltr)	1000
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x720 / 2100x1050x770
Weight (Net /Gross Kg)	144/154
Stuffing (40'HQ Units)	33



SGSC1018IF

Specifications

ESMA Capacity (Ltr)	800
Gross Capacity (Ltr)	1000
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x720 / 2100x1050x770
Weight (Net /Gross Kg)	144/154
Stuffing (40'HQ Units)	33

Sliding Door Chiller



Thailand
Compressor



SGSC1216IS

Specifications

ESMA Capacity (Ltr)	1000
Gross Capacity (Ltr)	1200
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023 x1130x700/ 2100x1180x750
Weight (Net /Gross Kg)	156/167
Stuffing (40'HQ Units)	30



SGSC1217IS

Specifications

ESMA Capacity (Ltr)	1000
Gross Capacity (Ltr)	1200
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x700 / 2100x1185x750
Weight (Net /Gross Kg)	156/167
Stuffing (40'HQ Units)	30



SGSC1218IF

Specifications

ESMA Capacity (Ltr)	1000
Gross Capacity (Ltr)	1200
Door	Double Layered Glass With French Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x720 / 2100x1185x770
Weight (Net /Gross Kg)	156/167
Stuffing (40'HQ Units)	30

Sliding Door Chiller



SGSC1219IF

Specifications

ESMA Capacity (Ltr)	1000
Gross Capacity (Ltr)	1200
Door	Double Layered Glass With French Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x720 / 2100x1180x770
Weight (Net /Gross Kg)	156/167
Stuffing (40'HQ Units)	30

SUPER
GENERAL

Water Dispenser



Product Specifications are country specific & subject to change without prior notice.