


20L MICROWAVE **SGMM921**
Specifications

Color / S.Steel	White
Cavity	White
Control	Mechanical
Grill / Roteisserie	No
Convection	No
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	440X334X259 / 488X360X291
Weight (Net /Gross Kg)	10 /11
Stuffing (20'/40'/40'HC Units)	581 / 1187 / 1500


20L MICROWAVE **SGMM921MA**
Specifications

Color / S.Steel	White
Cavity	White
Control	Mechanical
Grill / Roteisserie	No
Convection	No
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	440x334x259 / 488x360x291
Weight (Net /Gross Kg)	10 /11
Stuffing (20'/40'/40'HC Units)	581 / 1187 / 1500


20L MICROWAVE **SGMG9214B**
Specifications

Color / S.Steel	Black
Cavity	White
Control	Mechanical
Grill / Roteisserie	No
Convection	No
Voltage (V, Hz)	230-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	496x380x292
Weight (Net /Gross Kg)	10.5/11.3
Stuffing (20'/40'/40'HC Units)	556/1150/1290


20L MICROWAVE **SGMM9214D**
Specifications

Color / S.Steel	White
Cavity	White
Control	Membrane
Grill / Roteisserie	No
Convection	No
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	440x350x259 / 488x380x291
Weight (Net /Gross Kg)	11 /12
Stuffing (20'/40'/40'HC Units)	581 / 1187 / 1336



23L MICROWAVE SGMM9262G

Specifications

Color / S.Steel	White
Cavity	White
Control	Electronic
Grill / Roteisserie	Yes / No
Convection	No
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	485x395x293 / 536x415x330
Weight (Net /Gross Kg)	14 / 15
Stuffing (20'/40'/40'HC Units)	391 / 804 / 919



23L MICROWAVE SGMM9263GS

Specifications

Front Face	Black Normal Glass, Silver Frame
Cavity	Painted Grey
Voltage/Hz	230V~50Hz
Power level /Auto Menus	5 / 8
Grill / Roteisserie	Yes / No
Convection	No
Glass Turntable	270mm
Product /Packing Size	485x395x293mm / 536x436x330mm
Net Wt / Gross Wt	14.00 /15.00
Loading 20'/40'/40HQ	391 / 806 / 919



23L MICROWAVE SGMG9251DG

Specifications

Color / S.Steel	Black
Cavity	White
Control	Digital
Grill / Roteisserie	Yes / No
Convection	No
Voltage (V, Hz)	230-240V~50Hz
Dimension (Prod/Pack HxWxD mm)	547X410X337
Weight (Net /Gross Kg)	14.1
Stuffing (20'/40'/40'HC Units)	419/856/979



25L MICROWAVE SGMG9271DCG

Specifications

Color / S.Steel	Silver
Cavity	Stainless Steel
Control	Digital
Grill / Roteisserie	Yes / No
Convection	1950W
Voltage (V, Hz)	230-240V~50Hz
Dimension (Prod/Pack HxWxD mm)	547X453X337
Weight (Net /Gross Kg)	16
Stuffing (20'/40'/40'HC Units)	370/760/870


25L MICROWAVE SGMG929DCG
Specifications

Color / S.Steel	Silver
Cavity	Enamel / Ceramic
Control	Digital
Grill / Roteisserie	Yes / No
Convection	Yes
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	513x481x310 / 585x555x373
Weight (Net /Gross Kg)	18.2 / 20.4
Stuffing (20'/40'/40'HC Units)	264 / 528 / 611


30L MICROWAVE SGMM935DGW
Specifications

Color / S.Steel	White
Cavity	White
Control	Membrane
Grill / Roteisserie	Yes / No
Convection	No
Voltage (V, Hz)	230V, 50Hz
Dimension (Prod/Pack HxWxD mm)	520x406x326 / 591x463x380
Weight (Net /Gross Kg)	16 / 18
Stuffing (20'/40'/40'HC Units)	287 / 545 / 690


30L MICROWAVE SGMG934RCS
Specifications

Color / S.Steel	Stainless Steel
Cavity	Stainless Steel
Control	Digital
Grill / Roteisserie	Yes / Yes
Convection	Yes
Voltage (V, Hz)	230-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	608X480X366
Weight (Net /Gross Kg)	18.4 /20.1
Stuffing (20'/40'/40'HC Units)	275/550/640


30L MICROWAVE SGMG931DCG
Specifications

Color / S.Steel	Black
Cavity	Stainless Steel
Control	Digital
Grill / Roteisserie	Yes / No
Convection	Yes
Voltage (V, Hz)	230V~50Hz
Dimension (Prod/Pack HxWxD mm)	520x503x326 / 583x543x381
Weight (Net /Gross Kg)	18.0 / 20.5
Stuffing (20'/40'/40'HC Units)	239 / 523 / 611



42L MICROWAVE SGMM945DGS

Specifications

Front Face	Black Normal Glass, Stainless Steel Decorating Frame
Cavity	Painted Grey
Voltage/Hz	230V~50Hz
Power level / Auto Menus	11 / 7
Grill / Roteisserie	Yes / No
Convection	No
Product/Packing Size	553x465x327mm / 619x521x381mm
Net Wt / Gross Wt	17.72 /20.54
Loading 20'/40'/40HQ	240 / 492 / 580



2 IN 1 ELECTRIC OVEN & KEBAB MAKER SGE0040RK

Specifications

Color / S.Steel	Red
Power	1300W
Control	Manual
Rotisserie	Yes
Convection	No
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	619x440x376
Weight (Net / Gross Kg)	11/12
Stuffing (20'/40'/40'HC Units)	-/-/640



100L ELECTRIC OVEN SGE0100TRC

Specifications

Color / S.Steel	Stainless Steel
Power	2800W
Control	Mechanical
Roteisserie	Yes
Convection	Yes
Voltage (V, Hz)	230V, 50Hz
Dimension (Prod/Pack HxWxD mm)	786x486x496 / 815x515x532
Weight (Net /Gross Kg)	17 / 19
Stuffing (20'/40'/40'HC Units)	115/-/290



100L ELECTRIC OVEN SGE0101TRC

Specifications

Color	stainless steel
Control	Mechanical
Rotisserie	Yes
Convection	Yes
Watts	2800W
Voltage (V, Hz)	220-240V,50-60Hz
Dimension (Prod/Pack HxWxD mm)	785x575x526
Weight (Net /Gross Kg)	17.2/19.2
Stuffing (20'/40'/40'HC Units)	130/260/300



120L ELECTRIC OVEN SGE0120TRC

Specifications

Color	stainless steel
Control	Mechanical
Rotisserie	Yes
Convection	Yes
Watts	2800W
Voltage (V, Hz)	220-240V, 50-60Hz
Dimension (Prod/Pack HxWxD mm)	785x465x478 / 830x560x550
Weight (Net /Gross Kg)	15.5 / 18.2
Stuffing (40'HC Units)	254



60L ELECTRIC OVEN SGE0064KRC

Specifications

Color / S.Steel	Silver
Power	2000W
Control	Manual
Grill / Roteisseries	Yes
Convection	Yes
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Prod/Pack HxWxD mm)	431x353x380 / 580x410x436
Weight (Net / Gross Kg)	11.7/14.1
Stuffing (20'/40'/40'HC Units)	175 / 375 / 440



42L ELECTRIC OVEN SGE0046KRC

Specifications

Color / S.Steel	Black
Power	1800W
Control	Manual
Grill / Roteisseries	Yes
Convection	Yes
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Prod/Pack HxWxD mm)	425x330x306 / 560x410x370
Weight (Net / Gross Kg)	9.7/11.45
Stuffing (20'/40'/40'HC Units)	242 / 518 / 608



35L ELECTRIC OVEN SGE0039KR

Specifications

Color / S.Steel	Black
Power	1500W
Control	Manual
Grill / Roteisseries	Yes
Convection	No
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Prod/Pack HxWxD mm)	378x295x304 / 535x385x368
Weight (Net / Gross Kg)	8.3/10.5
Stuffing (20'/40'/40'HC Units)	260 / 558 / 655



28L ELECTRIC OVEN **SGE0030KR**

Specifications

Color / S.Steel	Black
Power	1500W
Control	Manual
Grill / Roteisserie	Yes
Convection	No
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Prod/Pack HxWxD mm)	345x288x265 / 491x380x320
Weight (Net / Gross Kg)	6.2/7.5
Stuffing (20'/40'/40'HC Units)	325 / 700 / 820



2 IN 1 BLENDER & GRINDER **SGBG68FX**

Specifications

Watts	400W
Jar Type	AS Plastic 1.6L
Features	1. Copper Motor, Over Heat Protection 2. Chrome Finish Body
Safety Interlock	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	35 x 19 x 26.5
Weight (Gross Kg)	1.9
Stuffing (20'/40'/40'HC Units)	1480/3120/3568



3 IN 1 BLENDER, CHOPPER & GRINDER **SGBG88FX**

Specifications

Watts	400W
Jar Type	AS Plastic 1.6
Features	1. Chrome Finish Switch Panel 2. 1.6L Jar With Filler Cap 3. Chopper and Dryer Attachments 4. Safety Interlock
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	375x190x270
Weight (Gross Kg)	2.5
Stuffing (20'/40'/40'HC Units)	1488/3000/3440



3 IN 1 BLENDER, CHOPPER & GRINDER **SGBG98FX**

Specifications

Watts	400W
Jar Type	AS Plastic 1.6L
Features	1. Copper Motor, Over Heat Protection 2. Dry Grinder & Chopper Attachments 3. Blue LED Light 4. Safety Interlock
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	37.2 x 19.6 x 27.5
Weight (Gross Kg)	2.7
Stuffing (20'/40'/40'HC Units)	1328/2792/3188



MIXER GRINDER SGGM750C

Specifications

Watts	750W
Jar Type	3 Stainless Steel jars: Liquidizing Jar Capacity 1.5L, Grinding Jar Capacity 1L, Chutney Jar 0.4L
Features	1. 3 multipurpose Stainless Steel Blades
	2. 3 Speed control with incher facility
	3. Overload protection system
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	435x395x305
Weight (Gross Kg)	10
Stuffing (20'/40'/40'HC Units)	2400



3 IN 1 BLENDER, CHOPPER & GRINDER SGBG400

KEY FEATURES

- Plastic body
- 10 speeds control with pulse
- Accessories: Plastic jug, chopper jug, grind jug
- Can blend different kinds of ingredients with different accessories.

Specifications

Capacity	1.5L
Voltage (V, Hz)	220-240V, 50-60Hz
Dimension (Pack HxWxD mm)	350x185x272
Weight (Net /Gross Kg)	1.52 / 1.95
Stuffing (20'/40'/40'HC Units)	1632/3408/3600



2 IN 1 BLENDER SGBG60D

- Power 500W
- 1.5L Capacity Plastic Blender Jar
- With Grinder Jar attachment
- Stainless Steel Blades
- Can blend different kinds of fruit juices
- 5 speeds control with pulse
- Anti-slip feet design

Specifications

Capacity	1.5L
Power	500w
Voltage (V, Hz)	220-240V, 50-60Hz
Dimension (Pack HxWxD mm)	180 X 167 X 385mm
Weight (Net kg)	1.9
Stuffing (20'/40'/40'HC Units)	1500/3000/ 3700



2 IN 1 BLENDER & GRINDER SGBG58FX

Specifications

Watts	400W
Jar Type	AS Plastic 1.5
Features	1. Copper Motor
	2. Over Heat Protection
Safety Interlock	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	32.5 x 19.6 x 30.2
Weight (Gross Kg)	2.2
Stuffing (20'/40'/40'HC Units)	1376/2896/3304



3 IN 1 BLENDER SGBG78FX

Specifications

Watts	400W
Jar Type	AS Plastic 1.6
Features	1. Copper Motor, Over Heat Protection
	2. Multi-Function Food Processor
Safety Interlock	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	34 x 29.8 x 27.8
Weight (Gross Kg)	3
Stuffing (20'/40'/40'HC Units)	960/1980/2328



4 IN 1 BLENDER, CHOPPER, GRINDER & MILL SGBGS77

Specifications

Watts	250W
Jar Type	AS Plastic 1.8
Features	1. 4 in 1 Food Processor
	2. 2 Speed & Pulse Piano Button Control
Safety Interlock	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	300x370x280
Weight (Net / Gross Kg)	2/2.5
Stuffing (20'/40'/40'HC Units)	828/1716/2010



3 IN 1 HAND BLENDER SGHB196PD

KEY FEATURES

- Base: Plastic (PP)
- Blend rod: Plastic+SUS
- Accessories: 500ml chopper bowl, Whisk, Measuring cup
- 2 speeds, with stepless speed regulation

Specifications

Watts	600W
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (HxWxD mm)	240x136x245
Weight (Gross Kg)	1.13
Stuffing (20'/40'/40'HC Units)	3186/6540/7290



HAND BLENDER SGHB195SDS

Specifications

Watts	200W
Features	1. Premium stainless steel finish
	2. Slim ergonomic design for easy handling
	3. 2 speeds with step less variable speed control
	4. Detachable stainless steel blending rod
Voltage (V, Hz)	220-240V 50-60Hz
Dimension (Gift Box HxWxD mm)	132x740x235
Weight (Net / Gross Kg)	0.75/0.9
Stuffing (20'/40'/40'HC Units)	10200 / 21000/ 23280



STAND MIXER **SGSTM1076**

Specifications

Watts	800W
Features	1. 4.2L Removable Stainless Steel bowl
	2. 6 Power levels with pulse option
	3. 3 detachable attachments for mixing & beating Dough hook, Egg whisk & Mixer blade
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	365x275x385
Weight (Gross Kg)	4.8
Stuffing (20'/40'/40'HC Units)	1974/4170/4806



MULTI-FUNCTIONAL STAND MIXER **SGKF1086DR / SGKF1096DB**

Specifications

Watts	800W
Features	1. Dough Hook, Egg Whisk, Mixing Blade,
	2. Meat Grinder, Blender, Coffee Grinder, Pasta Maker
	5.2 L Fine Steel Bowl For 2 Kg Mixture
	3. 6 Power Levels With Shiny Metal Knob
	Glass Jar Blender & Coffee Grinder
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	585x258x498
Weight (Gross Kg)	11.25
Stuffing (20'/40'/40'HC Units)	410/818/970



MINI CHOPPER **SGCH13D**

Specifications

Watts	500W
Features	1. 1L Capacity transparent glass bowl
	2. Stainless steel blade
	3. Ideal for chopping vegetables, mincing meat
Voltage (V, Hz)	220-240V~ 50/60Hz
Dimension (Gift Box HxWxD mm)	194x194x270
Weight (Net / Gross Kg)	1.6 / 2
Stuffing (20'/40'/40'HC Units)	2736 / 4878 / 5616



ELECTRIC PRESSURE COOKER **SGEC61DM**

Specifications

Capacity (Ltr)	6 L
Watts (W)	1100 W
Feature	1. Convenient 12 preset menus Safe,
	2. 8 hours preset timer
	3. Retention of Nutrients
	4. 4 Digit Digital Display
Voltage (V, Hz)	220 -240V, 50-60Hz
Dimension (Gift Box HxWxD mm)	315x315x348 mm
Weight (Gross Kg)	5.5
Stuffing (20'/40'/40'HC Units)	708 / 1464 / 1708



ELECTRIC RICE COOKER **SGRC42W / SGRC30W**

ALSO AVAILABLE: **SGRC15W, SGRC18W, SGRC22W**

Specifications

Capacity (Ltr)	4.2 / 3 / 2.2 / 1.8 / 1.5
Watts (W)	1000 / 900 / 700 / 500W
Feature	1. Automatic Cooking & Warming System
	2. High Temperature Protection
	3. Aluminum Non-Sticker Inner Pot
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	318x318x325 / 298x298x313
	278x278x292 / 265x265x276
Weight (Gross Kg)	3.5 / 3.5 / 3 / 2.5
Stuffing (40'HC Units)	1160 / 1680 / 2128 / 2560 / 3000



SANDWICH MAKER **SGSM23G**

Specifications

Watts	700W
Features	1. 2 Slice Sandwich Maker
	2. Grill Plate.
	3. Power and Ready Light
Voltage (V, Hz)	220-240V ~ 50/60Hz
Dimension (Gift Box HxWxD mm)	330x200x252 mm
Weight (Gross Kg)	1.12
Stuffing (20'/40'/40'HC Units)	3120/6408/7128



3 IN 1 SANDWICH MAKER **SGSM 24TGW**

Specifications

Watts	650-800W
Feature	1. 3 changeable plates for toasting, grilling & waffle
	2. Elegant stainless steel finish
	3. Cool-touch handle
	4. Safety locking clip
Voltage (V, Hz)	220-240V 50/60Hz
Dimension (Gift Box HxWxD mm)	270x170x288
Weight (Gross Kg)	3.04
Stuffing (20'/40'/40'HC Units)	1888/3980/4368



HAND MIXER **SGHM82SD**

Specifications

Watts	300W
Features	1. 5 speeds control
	2. Plastic body with stainless steel decoration
	3. Two chromed beaters
	4. Two dough hooks for kneading dough
Voltage (V, Hz)	230V 50Hz
Dimension (Gift Box HxWxD mm)	230x106x172
Weight (Net / Gross Kg)	1.2/1.4
Stuffing (20'/40'/40'HC Units)	5664 / 11640 / 13068



COFFEE GRINDER **SGCG91SD**

Specifications

Watts	180-220W
Features	1. Transparent cover lid
	2. Detachable jar for easy cleaning
	3. Anti corrosion sharp SS blades
	4. Can be used for grinding dry spices also
Voltage (V, Hz)	220-240V~ 50/60Hz
Dimension (Gift Box HxWxD mm)	140x135x230
Weight (Net / Gross Kg)	1.12 / 1.5
Stuffing (20'/40'/40'HC Units)	3876/7824/9252




32" DIGITAL STEAM PRESS **SGSP32**

FEATUTRES

- ▶ Sensor control with digital display
- ▶ Electronic security and auto off system
- ▶ Powerful bursts of steam
- ▶ Automatic steam output, automatic pressure for perfect ironing results
- ▶ Water capacity 750ml with water level indicator
- ▶ Removable and washable ironing pad
- ▶ Removable water tank for refilling at any time
- ▶ Teflon heating plate

Specifications

Plate Size	810x295mm
Package Size	837x315x635mm
Power	2200W
Heat up time	2 minutes
Net weight	12.5KG
Gross weight	16KG
Control panel	Sensor control with digital display
Voltage	220-240V~50/60Hz; 2200W
Temperature Range	60-220°C
Pressure	50KG
Steam Output	120G/Min
Water Capacity	750ml




40" DIGITAL STEAM PRESS **SGSP40**

- ▶ Sensor control with digital display
- ▶ Electronic security and auto off system
- ▶ Powerful bursts of steam
- ▶ Automatic steam output, automatic pressure for perfect ironing results
- ▶ Water capacity 750ml with water level indicator
- ▶ Removable and washable ironing pad
- ▶ Removable water tank for refilling at any time
- ▶ Teflon heating plate

Specifications

Plate Size	1010x300mm
Package Size	1040x315x640mm
Power	2200W
Heat up time	3 minutes
Net weight	15KG
Gross weight	18.7KG
Control panel	Sensor control with digital display
Voltage	220-240V~50/60Hz; 2200W
Temperature Range	60-220°C
Pressure	50KG
Steam Output	120G/Min
Water Capacity	750ml



STEAM PRESS SGSP206E

Specifications

Power	2500W Digital
Features	1. Powerful Burst of Steam
	2. Variable Heat Selection
	3. Maximum Steam Penetration
	4. Auto Shut Off System
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	635x860x255
Weight (Gross Kg)	13/16
Stuffing (20'/40'/40'HC Units)	220/430/504



GAS BBQ GRILL SG25BBQ

Specifications

Product	Gas BBQ Grill
Feature	1. Ideal For Cooking Healthy Meals at Home
	2. Eliminates Grease, Smoke And Odors During Cooking
	3. Prepare Tasty Food With Fewer Calories
	4. Dismountable For Easy Maintenance
	5. Teflon Coated
Voltage (V, Hz)	No Voltage, Works On All Gas Fire
Dimension (Gift Box HxWxD mm)	330x330x140
Weight (Net /Gross Kg)	2.5
Stuffing (20'/40'/40'HC Units)	1650/-/4000



DRY IRON SGI16DC

Specifications

Base Plate	Non-Stick Teflon Sole Plate
Watts	1000W
Feature	1. Thermostat Control
	2. Light Weight
Voltage (V, Hz)	220-230V, 50Hz
Dimension (Gift Box HxWxD mm)	127x267x120
Weight (Gross Kg)	1
Stuffing (20'/40'/40'HC Units)	6000/12400/14600



DRY IRON SGI20DC

Specifications

Base Plate	Teflon
Watts	900-1100W
Feature	1. Dry
	2. Spray function
	3. Adjustable thermostat function
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	255x110x120
Weight (Gross Kg)	0.85
Stuffing (20'/40'/40'HC Units)	6700/14500/17000



Cordless Iron SGI95SSC

Specifications

Teflon	Ceramic
Watts	2000-2400W
Feature	Dry/spray/steam • Variable Steam Control • Powerful Burst Of Steam/vertical Steam • self-cleaning Function • with Over Heating Safety Protection • with Translucence Water Tank • with Water Cup • Anti-drip And Anti-calcium Feature
Voltage (V, Hz)	Auto-shut Off 220-240V~50/60Hz
Dimension (Gift Box HxWxD mm)	333x178x206
Weight (Net / Gross Kg)	1.73/1.68
Stuffing (20'/40'/40'HC Units)	1974/4170/4806



STEAM IRON SGI55SC

Specifications

Base Plate	Teflon
Watts	1450-1750W
Feature	1. Dry / Spray / Steam / Variable 2. Steam Control/Powerful Burst 3. Vertical Steam
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	281X129X155
Weight (Gross Kg)	1.2
Stuffing (20'/40'/40'HC Units)	4150/8900/10500



STEAM IRON SGI65SST

Specifications

Base Plate	Teflon
Watts	2200W
Feature	1. Dry/ Steam/Spray 2. Powerful burst of steam 3. Self-cleaning
Voltage (V, Hz)	230V 50Hz
Dimension (Gift Box HxWxD mm)	307X124X158MM
Weight (Gross Kg)	1.2
Stuffing (20'/40'/40'HC Units)	4400/9000/10300



STEAM IRON SGI75SSC

Specifications

Base Plate	Ceramic
Watts	2200W
Feature	1. Dry/ Steam/Spray 2. Anti calcium, Anti drip, Self-cleaning 3. Powerful burst of steam
Voltage (V, Hz)	230V 50Hz
Dimension (Gift Box HxWxD mm)	312X132X172
Weight (Gross Kg)	1.4
Stuffing (20'/40'/40'HC Units)	3500/7100/8300



STEAM IRON SGI85SSC

Specifications

Base Plate	Ceramic
Watts	2200W
Feature	1. Dry/ Steam/Spray
	2. Anti calcium, Anti drip, Self-cleaning
	3. Powerful burst of steam
	4. Auto shut-off feature
Voltage (V, Hz)	230V 50Hz
Dimension (Gift Box HxWxD mm)	345X142X167
Weight (Gross Kg)	1.6
Stuffing (20'/40'/40'HC Units)	2880/5940/6930



GARMENT STEAMER SGG01MC

Specifications

Tank Capacity (Ltr)	2.5L
Operation	Manual
Features	1. Auto Power Off
	2. Easy Fill Water Tank
Power	1230 – 1470W
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	395x500x335
Weight (Gross Kg)	4.5
Stuffing (20'/40'/40'HC Units)	418/900/1000



GARMENT STEAMER SGG06DC

Specifications

Tank Capacity (Ltr)	1.6L
Operation	Manual
Features	1. Dual Telescopic Aluminium rod
	2. 1.6m steam tube
	3. Automatic Cord winder
Power	1640W
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	459x308x419
Weight (Gross Kg)	8.2
Stuffing (20'/40'/40'HC Units)	450/950/1120



2 SLICE TOASTER SGT820D

Specifications

Watts	550-650W
Features	1. Plastic Body with Elegant Design
	Cancel Mode
	2. Adjustable 7 Step Browning Control
	3. With Crumb Tray
Voltage (V, Hz)	220-240V~ 50/60Hz
Dimension (Gift Box HxWxD mm)	284 X 154 X 172
Weight (Gross Kg)	0.98
Stuffing (20'/40'/40'HC Units)	3240/6588/7410



4 SLICE TOASTER SGT840D

Specifications

Watts	1250-1450W
Features	1. 4-slice long toaster
	2. With Cancel setting
	3. Adjustable browning control/6 setting;
	4. Removable crumb tray for easy
Voltage (V, Hz)	220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	406L X 188W X 198Hmm
Weight (Gross Kg)	1.65
Stuffing (20'/40'/40'HC Units)	1400/2900/3480



ICE MAKER 12KG SGIM012HS

Specifications

Product	Ice Maker
Power (Watts)	100W
Features	1. Two size ice cube produce 12kg in 24H
	2. Per cycle 9 cubes, time 6-13 min
	3. LED display shows ice full and add water
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	336x260x373
Weight (Net /Gross Kg)	7.1/7.8
Stuffing (20'/40'/40'HC Units)	852/1824/2128



ICE MAKER 20KG SGIM022HSN

Specifications

Product	Ice Maker
Power (Watts)	160W
Features	1. Two size ice cube produce 20kg in 24H
	2. Select from 3 different ice cube sizes
	3. Include ice basket and ice shovel
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	485x420x472
Weight (Net /Gross Kg)	16.7/18.4
Stuffing (20'/40'/40'HC Units)	660



Maximum
Locked Power
800W

MEAT GRINDER SGMG85Y

- ▶ ON/OFF & Reverse function
- ▶ Powerful copper motor
- ▶ Removable metal food tray
- ▶ Stainless steel blade
- ▶ 3 pcs metal cutting discs: 3mm, 5mm, 7mm
- ▶ Sausage stuffer tube, kubbe attachment & food pusher

Specifications

Rated Power	300W
Voltage (V, Hz)	AC220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	430x230x205
Weight (Gross Kg)	3.30
Stuffing (20'/40'/40'HC Units)	1256/2640/3016

Maximum
Locked Power
1400W



MEAT GRINDER SGMG86Y

- ▶ ON/OFF & Reverse function
- ▶ Powerful copper motor
- ▶ Aluminum gear box and full metal gears
- ▶ Large capacity metal food tray
- ▶ Stainless steel blade
- ▶ 3 pcs metal cutting discs: 3mm, 5mm, 7mm
- ▶ Sausage stuffer tube, kubbe attachment & food pusher

Specifications

Rated Power	550W
Voltage (V, Hz)	AC220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	470x278x228
Weight (Gross Kg)	5.84
Stuffing (20'/40'/40'HC Units)	824/1780/1980

Maximum
Locked Power
1800W



MEAT GRINDER SGMG87Y

- ▶ Aluminum die-cast housing
- ▶ ON/OFF & Reverse function, 2 speed control
- ▶ Powerful copper motor
- ▶ Aluminum gear box and full metal gears
- ▶ Stainless steel blade
- ▶ 3 pcs metal cutting discs: 3mm, 5mm, 7mm
- ▶ Sausage stuffer tube, kubbe attachment & food pusher
- ▶ Large capacity metal food tray

Specifications

Rated Power	600W
Voltage (V, Hz)	AC220-240V, 50/60Hz
Dimension (Gift Box HxWxD mm)	470x278x228
Weight (Gross Kg)	5.84
Stuffing (20'/40'/40'HC Units)	824/1780/1980



ELECTRIC KETTLE SGK118SSW / SGK115SSW

ALSO AVAILABLE: **SGK118SSR**

Specifications

Watts	1800W / 1500W
Capacity Ltr	1.8L / 1.5L
Features	1. Stainless Steel Body, 360 Degree Rotation
	2. Concealed Heating Element
	3. Automatic Boiling Shut Off
	4. Handle is Made of Heat-Insulation Material
Voltage (V, Hz)	220-240V 50/60Hz
Dimension (Gift Box HxWxD mm)	205x165x235 / 208x205x165
Weight (Gross Kg)	1.7 / 1.2
Stuffing (20'/40'/40'HC Units)	2800/-/7008 / 3360/-/8400



ELECTRIC KETTLE SGK217PD

Specifications

Watts	1850-1200W
Capacity Ltr	1.7L
Features	• Concealed heating element for easy cleaning
	• Boil dry protection • Auto cut off feature
	• Cord-storage
Voltage (V, Hz)	220-240, 50Hz-60Hz
Dimension (Gift Box HxWxD mm)	195x170x210
Weight (Gross Kg)	0.72
Stuffing (20'/40'/40'HC Units)	3200/ - / 7800



ELECTRIC KETTLE SGK117SS

Specifications

Watts	1850-2200W
Capacity Ltr	1.7L
Features	• Stainless Steel Body • Concealed heating element • Boil dry protection • Auto cut off feature • Cord-storage
Voltage (V, Hz)	220-240V 50Hz-60Hz
Dimension (Gift Box HxWxD mm)	195x170x210
Weight (Gross Kg)	0.7
Stuffing (20'/40'/40'HC Units)	3200/ - / 7800



ELECTRIC KETTLE SGK218SSD

Specifications

Watts	1850-2200W
Capacity	1.7L
Features	1. Strix controller 2. Automatic Lid opening 3. On/Off switch with Red indicator light
Voltage (V, Hz)	220-240V 50/60Hz
Dimension (Gift Box HxWxD mm)	205x165x220
Weight (Gross Kg)	0.975
Stuffing (20'/40'/40'HC Units)	3300/6600/7632



RECHARGEABLE FAN SGRF151K

Specifications


Size (Inch)	12"
Remote	No
Speed Control	2 Speed Control
Timer	3.5-5.5 Hours
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	713x459x515
Weight (Gross Kg)	16.25
Stuffing (20'/40'/40'HC Units)	676/1388/1626



RECHARGEABLE FAN SGRF150K

Specifications

Size (Inch)	14"
Remote	No
Speed Control	2 Speed Control
Timer	4.5-7 Hours
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	500x390x635
Weight (Gross Kg)	11
Stuffing (20'/40'/40'HC Units)	460/945/1106



STAND FAN SGSF28M

Specifications


Size (Inch)	16"
Remote	No
Speed Control	3 Speed Control
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	474x120x575
Weight (Gross Kg)	4.1
Stuffing (40'HC Units)	570 / 1150 / 1400



STAND FAN WITH REMOTE SGSF48MR

Specifications

Size (Inch)	16"
Remote	Yes
Speed Control	3 Speed Control
Timer	7.5 Hours
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	522x152x597
Weight (Gross Kg)	6.2/7.9
Stuffing (20'/40'/40'HC Units)	603/1218/1396



WALL FAN WITH REMOTE SGWF16MR

ALSO AVAILABLE: SGWF16M

Specifications

Size (Inch)	16"
Remote	Yes
Speed Control	3 Speed Control
Timer	Yes
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Gift Box HxWxD mm)	610x467x142
Weight (Gross Kg)	4.5
Stuffing (20'/40'/40'HC Units)	670 / 1420 / 1620



ORBIT FAN SGOF16M

Specifications

Size (Inch)	16"
Remote	No
Speed Control	3
Timer	No
Voltage (V, Hz)	220-240V, 50HZ, 55W
Dimension (Gift Box HxWxD mm)	497 147 595
Weight (Gross Kg)	4.1
Stuffing (20'/40'/40'HC Units)	440 / 885 / 1056



DOUBLE COOL DX SGAC500KI

Specifications

Features	1.	Water Tank Capacity 50 Ltr.
	2.	Woodwool cooling medium
	3.	8 Inch Blower
	4.	Water Inlet Door
	5.	Water Level Indicator
Voltage (V, Hz)		220-240V, 50 Hz
Dimension (Prod/Pack HxWxD mm)		650x530x550 / 720x605x635
Weight (Net /Gross Kg)		16.5/20
Stuffing (20'/40'/40'HC Units)		81/-/270



TALL COOLER SGAC220KI

Specifications

Features	1.	Water Tank Capacity 22 Ltr.
	2.	7 inch Blower
	3.	Water Inlet
	4.	Castors for Easy Mobility
	5.	Honey Comb Cooling Pad
Voltage (V, Hz)		220-240V, 50 Hz
Dimension (Prod/Pack HxWxD mm)		313x339x956
Weight (Net /Gross Kg)		9.5/11.5
Stuffing (40'HC Units)		540



SLIMLINE SGAC300KI

Specifications

Features	1.	Water Tank Capacity 30 Ltr.
	2.	Woodwool cooling medium
	3.	6 Leaf Fan Blade
	4.	Water Inlet Port
	5.	Wheel for Easy Mobility With Lock
Voltage (V, Hz)		220-240V, 50 Hz
Dimension (Prod/Pack HxWxD mm)		560x330x1050 / 610x350x1110
Weight (Net /Gross Kg)		13/16
Stuffing (20'/40'/40'HC Units)		108/-/268



TURBOCOOL DX SGAC450KI

Specifications

Features	1.	Water Tank Capacity 40 Ltr.
	2.	Woodwool cooling medium
	3.	6 Leaf Fan Blade
	4.	Ice Chamber
	5.	Water Level Indicator
Voltage (V, Hz)		220-240V, 50 Hz
Dimension (Prod/Pack HxWxD mm)		640x540x910 / 700x620x1000
Weight (Net /Gross Kg)		20/23.5
Stuffing (20'/40'/40'HC Units)		54/-/154



OIL FILLED HEATER **SGOR11MF**

Specifications

Elements	11 Fins
Fan / Timer / Stand	With Fan
Feature	1. 3 Heat Settings With Fan Assistant Setting
	2. Ajustable Thermostat Control
	3. Over Heating & Anti Freeze Protection
Voltage (V, Hz)	220-240V 50Hz
Dimension (Prod / Pack HxWxD mm)	435x280x640 / 490x162x692
Weight (Net /Gross Kg)	9.6 / 10.7
Stuffing (20'/40'/40'HC Units)	474/990/1190



OIL FILLED HEATER **SGOR13MF**

Specifications

Elements	13 Fins
Fan / Timer / Stand	With Fan
Feature	1. 3 Heat Settings With Fan Assistant Setting
	2. Ajustable Thermostat Control
	3. Over Heating & Anti Freeze Protection
Voltage (V, Hz)	220-240V 50Hz
Dimension (Prod / Pack HxWxD mm)	590x280x640 / 650x162x692
Weight (Net /Gross Kg)	12.9 / 14.2
Stuffing (20'/40'/40'HC Units)	360/750/910



VACUUM CLEANER **SGVC2560C**

Specifications

Watts	2000W
Pipe	Metal tube
Features	1. 2.5L Large dust bag capacity
	2. Cable length 5M
	3. Automatic cord winder
Voltage (V, Hz)	220-240V;50/60Hz
Dimension (Gift Box HxWxD mm)	515x325x310
Weight (Net /Gross Kg)	5.2 / 6.3
Stuffing (20'/40'/40'HC Units)	560/1150/1300



VACUUM CLEANER **SGVC1600CC**

Specifications

Watts	1600W
Pipe	Metal tube
Features	1. 2.5L Large dust bag capacity
	2. Cable length 5M
	3. Automatic cord winder
Voltage (V, Hz)	220-240V;50/60Hz
Dimension (Gift Box HxWxD mm)	454x327x390
Weight (Net /Gross Kg)	6.36 / 7.4
Stuffing (20'/40'/40'HC Units)	429/908/1130



VACUUM CLEANER SGVC2001WD

Specifications

Watts	1600Watt
Pipe	Plastic
Features	1. Wet and Dry Function
	2. Blower Function
	3. Easy moving 360 degree swivel castors
Voltage (V, Hz)	220-240V~50/60Hz
Dimension (Gift Box HxWxD mm)	406x381x576
Weight (Net /Gross Kg)	6.5 / 8.2
Stuffing (20'/40'/40'HC Units)	300/670/746



VACUUM CLEANER SGVC2101D

Specifications

Watts	2000Watt
Pipe	Plastic
Features	1. Dry Only
	2. Blower Function
	3. Easy moving 360 degree swivel castors
Voltage (V, Hz)	220-240V~50/60Hz
Dimension (Gift Box HxWxD mm)	400x385x530
Weight (Net /Gross Kg)	5 / 7.5
Stuffing (20'/40'/40'HC Units)	335/695/825



VACUUM CLEANER SGVC2260HC

- ▶ Powerful Suction
- ▶ Flexible Hose with Handle Airflow Control
- ▶ Pedal On/Off Switch
- ▶ Speed Control Function
- ▶ 3L Dust Bag Capacity
- ▶ Dust Full Indicator
- ▶ Automatic Cord Rewinder Function
- ▶ 5 Stages Filtration System
- ▶ Washable Cloth Dust Bag
- ▶ Metal Telescopic Tube
- ▶ Plastic Floor Brush
- ▶ 4.8metres Cable Length

Specifications

Power	2000W
Pipe	Metal telescopic tube
Voltage:	220-240V; 50-60Hz
Dimension(Gift Box HxWxD mm)	435x295x310
Weight(Net/Gross Kg)	5.5/6.5
Stuffing(20'/40'/40'HC Units)	705/1460/1710



VACUUM CLEANER SGVC1460HC

- ▶ Flexible Hose with Handle Airflow Control
- ▶ Pedal On/Off Switch
- ▶ Automatic Cord Rewinder Function
- ▶ 2L Dust Bag Capacity
- ▶ Dust Full Indicator
- ▶ Washable Cloth Dust Bag
- ▶ Metal Telescopic Tube
- ▶ Plastic Floor Brush
- ▶ 4metres Cable Length
- ▶ 5 Stages Filtration System

Specifications

Power	1400W
Pipe	Metal telescopic tube
Voltage:	220-240V; 50-60Hz
Dimension(Gift Box HxWxD mm)	400x305x250
Weight(Net/Gross Kg)	3.8/4.8
Stuffing(20'/40'/40'HC Units)	920/1900/2230



TABLE TOP GAS STOVE SGBG012G

Specifications

Burners(Qty)	2
Burners(Type)	Normal Burner Cap
Body	Stainless Steel+Glass
Auto Ignition	Yes Without FSD
Legs	ABS
Dimension(pro/pack) mm	710x410x70mm /760x445x110
Weight (Net /Gross Kg)	8.5/9.5
Container loading (20GP/40GP/40HC)	834/1729/1949



TABLE TOP GAS STOVE SGBG312GFD

Specifications

Burners(Qty)	2
Burners(Type)	Normal Burner Cap
Body	Stainless Steel+Glass
Auto Ignition	Yes With FSD
Legs	ABS
Dimension(pro/pack) mm	710x410x70mm /760x445x110
Weight (Net /Gross Kg)	8.5/9.5
Container loading (20GP/40GP/40HC)	834/1729/1949



TABLE TOP GAS STOVE SGB02SS / SGB03SS

Specifications

Burners (Qty)	2 / 3
Burners (Type)	Normal Brass Burner Cap
Body	Stainless Steel
Auto Ignition	Yes
Legs	4 Rubber Legs
Dimension (Prod/Pack HxWxD mm)	700x370x80 / 715x385x120
Weight (Net /Gross Kg)	5.6 / 6.6 / 5.8 / 6.8
Stuffing (20'/40'/40'HC Units)	930 / 1890 / 2160



TABLE TOP GAS STOVE SGB02SSF

Specifications

Burners (Qty)	2
Burners (Type)	Normal Brass Burner Cap
Body	Stainless Steel
Auto Ignition	Yes With FSD
Legs	4 Rubber Legs
Dimension (Prod/Pack HxWxD mm)	700x370x80
Weight (Net /Gross Kg)	5.6 / 6.6
Stuffing (20'/40'/40'HC Units)	930 / 1890 / 2160



TABLE TOP GAS STOVE **SGB03SSF0**

Specifications

Burners (Qty)	3
Burners (Type)	Normal Brass Burner Cap
Body	Stainless Steel
Auto Ignition	Yes With FSD
Legs	4 Rubber Legs
Dimension (Prod/Pack HxWxD mm)	715x385x120
Weight (Net /Gross Kg)	5.8 / 6.8
Stuffing (20'/40'/40'HC Units)	930 / 1890 / 2160



TABLE TOP GAS STOVE **SGB212FFD**

Specifications

Burners (Type)	Beehive Burner
Body	Stainless Steel
Auto Ignition	Yes With FSD
Legs	ABS
Dimension (Prod/Pack HxWxD mm)	700x370x80 / 740x420x140
Weight (Net /Gross Kg)	6.0 / 6.7
Stuffing (20'/40'/40'HC Units)	688/1272/1545



TABLE TOP GAS STOVE **SGB313GFD**

Specifications

Burners (Type)	Normal Burner Cap
Body	Stainless Steel+Glass
Auto Ignition	Yes With FSD
Legs	ABS
Dimension (Prod/Pack HxWxD mm)	710x410x70 / 760x445x150
Weight (Net /Gross Kg)	8.8 / 9.5
Stuffing (20'/40'/40'HC Units)	550/1098/1333

Product specifications are country specific & subject to change without prior notice.

Televisions

